

ABC

diver shop

XTAR D26 1600S LIGHT 1600 LUMEN

Vanaf: €109,00



- High-quality OSRAM CSLPM1.TG LED
- Max. output 1600lm, 4 lighting levels
- 5° spot beam angle, maximum throw of 538 meters
- 2hrs runtime at Turbo 1600lm, powered by 1x18650/26650 batteries
- Magnetic press switch with lock function
- Smart temperature control
- Low power indicator
- Ultra-clear tempered glass lens
- Gold printed and dual springs
- Waterproof rated to underwater 100 meters





SKU: 1110011-1


Category: [Lamp](#)

Tag: [Xtar](#)

GALLERY IMAGES



Technical parameter				
Model	Luminous Effect			
	Turbo	High	Med	Low
Luminance	1600lm	600lm	200lm	60lm
Runtime	2hrs	3.6hrs	1hrs	86hrs
Beam Throw	538m			
Max Intensity	7280cd			
Impact Resistant	1.5m			
Waterproof	(IPX8)Underwater 100m			
Size	Ø46mm(head) × Ø22mm(body) × 168.2mm(length)			
Net weight	222g			
Spot beam angle	5°			
Beam angle	90°			



PRODUCT DESCRIPTION

- High-quality OSRAM CSLPM1.TG LED
- Max. output 1600lm, 4 lighting levels
- 5°spot beam angle, maximum throw of 538 meters



- 2hrs runtime at Turbo 1600lm, powered by 1x18650/26650 batteries
- Magnetic press switch with lock function
- Smart temperature control
- Low power indicator
- Ultra-clear tempered glass lens
- Gold printed and dual springs
- Waterproof rated to underwater 100 meters

Technical parameter

ANSI	Illumination Levels			
	Turbo	High	Mid	Low
Luminance	1600lm	650lm	200lm	60lm
Runtime	2hrs	3.67hrs	17hrs	86hrs
Beam Throw	538m			
Max Intensity	72400cd			
Impact Resistant	1.5m			
Waterproof	IPX8(Underwater 100m)			
Size	Φ46mm(head) × Φ33mm(body) × 156.2mm(length)			
Net weight	223g			
spot beam angle	5°			
beam angle	90°			



Package list

Full set:

flashlight, Li-ion 26650 battery, lanyard, USB cable, O-rings, MC1 Plus charger, user manuals



Standard package:

flashlight, lanyard, O-rings, user manual

