

ABC

diver shop

XTAR DS1 LIGHT 1000 LUMEN

Vanaf: €89,95



- Video en spot licht - combi max 5800 lumen
- OLED-scherm toont resterende werktijd
- Eenvoudige bediening met twee knoppen voor 9 lichtmodi
- Uitstekend ontworpen en hoogwaardige batterij
- Corrosiewerend materiaal en goud bedrukte veren
- Waterdichte IPX8 (100 meter onder water)
- Bescherming tegen omgekeerde polariteit, intelligente temperatuurregeling





SKU: 1110011-1

Category: [Lamp](#)

Tags: [Riff](#), [Xtar](#)


GALLERY IMAGES



Parameters

Model	DS1	
ANSI	High	Low
Luminance	1000lm	30lm
Runtime	2.5hrs	49hrs
LED	Cree XP-L2 LED	
Beam Throw	282m	
Beam Angle	7°	
Max. Intensity	20032cd	
Impact Resistant	1.5m	
Waterproof	Underwater 100m	
Size	Φ44mm(head)*Φ29mm(body)*156mm(length)	
Net Weight	177g (battery excluded)	

Notes:
1. Above-mentioned parameters (tested by using XTAR 1 x 21700 4900mAh) are approximate and may differ depending on battery and environment.
2. Working Voltage: 2.75-4.2V.



Package



PRODUCT DESCRIPTION




- Max output 1000lm, looptijd 2,5 uur
- Magnetische schuifschakelaar, met een reserve om te vervangen
- Stralingshoek van 7 graden en straal van 280 meter
- Cree XP-L2 LED & CCT 5500-6500K
- Compact formaat (15,6 cm lang)
- AL6063 behuizing van aluminiumlegering
- Waterdichtheid tot 100 meter onder water
- Meerdere beschermingen voor duikveiligheid

Parameters

Model	DS1		
ANSI	High	↔	Low
Luminance	1000lm	↔	30lm
Runtime	2.5hrs	↔	49hrs
LED	Cree XP-L2 LED		
Beam Throw	282m		
Beam Angle	7°		
Max. Intensity	20032cd		
Impact Resistant	1.5m		
Waterproof	Underwater 100m		
Size	Φ44mm(head)*Φ29mm(body)*156mm(length)		
Net Weight	177g (battery excluded)		

Notes:

1. Above-mentioned parameters (tested by using XTAR 1 x 21700 4900mAh) are approximate and may differ depending on battery and environment.
2. Working Voltage: 2.75-4.2V.



Size: $\Phi 44\text{mm}$ (head)* $\Phi 29\text{mm}$ (body)*156mm(length)

Net Weight: 177g (battery excluded)



Package

SET

flashlight, SC1 charger, 21700 Li-ion battery, USB cable, user manuals, lanyard, O-rings, spare switch



KT

flashlight, user manual, lanyard, O-rings, spare switch

